

Lead & tin replacer 1,5 kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Revision date: 5/30/2023 Supersedes version of: 10/25/2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|---------------|------------------------------|
| Product form | : Mixture |
| Trade name | : Lead & tin replacer 1,5 kg |
| UFI | : D06M-M930-799U-RP2M |
| Product code | : DEB 12 |
| Product group | : Blend |

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Chemical Europe NV
Baarbeek, 2
2070 Zwijndrecht
T +32 (0) 3 234 87 80 - F +32 (0) 3 234 87 89
info@chemical.eu

1.4. Emergency telephone number

Emergency number : +32 (0) 3 760 08 09

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| | |
|--|-------|
| Skin corrosion/irritation, Category 2 | H315 |
| Serious eye damage/eye irritation, Category 2 | H319 |
| Reproductive toxicity, Category 2 | H361d |
| Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation | H335 |
| Specific target organ toxicity – Repeated exposure, Category 1 | H372 |
| Hazardous to the aquatic environment – Chronic Hazard, Category 3 | H412 |
| Full text of H- and EUH-statements: see section 16 | |

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Contains

: styrene

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H335 - May cause respiratory irritation.

Lead & tin replacer 1,5 kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|--------------------------------|---|
| Precautionary statements (CLP) | H361d - Suspected of damaging the unborn child. |
| | H372 - Causes damage to organs (hearing organs) through prolonged or repeated exposure (In case of repeated or prolonged exposure :). |
| | H412 - Harmful to aquatic life with long lasting effects. |
| | : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| | P243 - Take action to prevent static discharges. |
| | P273 - Avoid release to the environment. |
| | P280 - Wear protective gloves, protective clothing, eye protection, face protection. |
| | P302+P352 - IF ON SKIN: Wash with plenty of water. |
| | P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| | P403+P233 - Store in a well-ventilated place. Keep container tightly closed. |

Nordic countries regulation

Denmark

MAL code : 3-6

2.3. Other hazards

Other hazards which do not result in classification : The styrene present in this mixture is ototoxic and can affect the inner ear.

Mixture does not contain substance (s) classified as PBT or vPvB in concentrations above 0,1%.

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Other information : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---------|--|---------|---|
| styrene | CAS-No.: 100-42-5 EC-No.: 202-851-5 EC Index-No.: 601-026-00-0 | 10 – 40 | Flam. Liq. 3, H226 Repr. 2, H361d Acute Tox. 4 (Inhalation), H332 STOT RE 1, H372 Skin Irrit. 2, H315 Eye Irrit. 2, H319 |

Full text of H- and EUH-statements: see section 16

Lead & tin replacer 1,5 kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|---|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. If unconscious, place in the recovery position and seek medical advice. Get immediate medical advice/attention. If experiencing respiratory symptoms: Call a poison center or a doctor. Do not apply mouth-to-mouth resuscitation. |
| First-aid measures after skin contact | : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. If skin irritation occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Consult an ophtalmologist if irritation persists. Rinse immediately with plenty of water. Rinse immediately with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. |
| First-aid measures after ingestion | : Give nothing or a little water to drink. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects after inhalation | : May cause respiratory irritation. May cause drowsiness or dizziness. May cause headache, nausea and irritation of respiratory tract. |
| Symptoms/effects after skin contact | : Causes skin irritation. Redness. Itching. |
| Symptoms/effects after eye contact | : Eye irritation. |
| Symptoms/effects after ingestion | : May cause irritation to the digestive tract. Ingestion may cause nausea and vomiting. |

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|---|
| Suitable extinguishing media | : AFFF foam. carbon dioxide (CO ₂), powder, water, foam, halons. ABC-powder. BC-powder. Sand. |
| Unsuitable extinguishing media | : Foam extinguishers containing water without additives are unsuitable with this product. Water should not be used with liquids less dense than water. The simultaneous action of foam and water on the same surface must be avoided (the water destroys the foam). |

5.2. Special hazards arising from the substance or mixture

| | |
|--|--|
| Fire hazard | : In case of fire and/or explosion do not breathe fumes. |
| Reactivity in case of fire | : Fire will produce dense black smoke. Do not breathe smoke. |
| Hazardous decomposition products in case of fire | : Carbon dioxide. Carbon monoxide. Hydrogen cyanide. HYDROGEN SULPHIDE. Aldehydes. Nitrogen oxide. Sulphur dioxide. ammonia. hydrogenchloride. |

5.3. Advice for firefighters

| | |
|--------------------------------|---|
| Protection during firefighting | : Self-contained breathing apparatus. Complete protective clothing. |
| Other information | : Prevent fire fighting water from entering the environment. Dyke fire control water for later disposal. Use water stream to cool containers. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

| | |
|----------------------|--|
| Emergency procedures | : Do not breathe gas. Avoid contact with skin, eyes and clothing. Evacuate area. Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
|----------------------|--|

6.1.2. For emergency responders

| | |
|----------------------|--|
| Protective equipment | : Use personal protective equipment as required. |
|----------------------|--|

Lead & tin replacer 1,5 kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.2. Environmental precautions

Do not allow to enter drains or water courses. Notify authorities if liquid enters sewers or public waters. Contain or absorb spilled liquid with non-combustible material.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|--|
| For containment | : Cover spill with non combustible material, e.g.: sand, earth, vermiculite. |
| Methods for cleaning up | : Clean with the help of detergents. |

6.4. Reference to other sections

See Section 8. SECTION 4 : SECTION 5 : SECTION 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-------------------------------|---|
| Precautions for safe handling | : Ensure good ventilation of the work station. Do not breathe vapours. Avoid contact with skin and eyes. Prevent the build-up of electrostatic charge. No open flames. No smoking. Keep away from sources of ignition - No smoking. Vapours are heavier than air and may spread along floors. |
| Hygiene measures | : For further information refer to section 8: "Exposure controls/personal protection". Always wash hands after handling the product. |

7.2. Conditions for safe storage, including any incompatibilities

| | |
|----------------------------|--|
| Storage conditions | : Store in a dry place. Store in a well-ventilated place. Keep cool. Keep away from food, drink and animal feeding stuffs. Keep out of the reach of children. Keep away from heat and direct sunlight. |
| Incompatible products | : Oxidizing agent. Strong acids. |
| Storage temperature | : < 30 °C |
| Storage area | : Store in a well-ventilated place. Store away from heat. Ensure that there is a waterproof floor resistant to : |
| Special rules on packaging | : Store in a closed container. Keep only in original container. |

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Lead & tin replacer 1,5 kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

When using do not eat, drink or smoke. Ensure good ventilation of the work station. After contact with skin, wash immediately and thoroughly with water and soap.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Wear security glasses which protect from splashes. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure

| Eye protection | | | |
|----------------|----------------------|-----------------|----------|
| Type | Field of application | Characteristics | Standard |
| Safety glasses | | acetate | EN 166 |
| Face shield | | | |

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard ISO 374-1

| Hand protection | | | | | |
|-----------------|--|------------|----------------|-------------|------------|
| Type | Material | Permeation | Thickness (mm) | Penetration | Standard |
| | Polyvinylalcohol (PVA), Viton® II, Butyl rubber, Viton | | | | EN ISO 374 |

8.2.2.3. Respiratory protection

Respiratory protection:

Wear suitable respiratory equipment in case of insufficient ventilation

| Respiratory protection | | | |
|------------------------|-------------|----------------------------------|----------|
| Device | Filter type | Condition | Standard |
| Gas filters | | If conc. in air > exposure limit | EN 14387 |

8.2.2.4. Thermal hazards

No additional information available

Lead & tin replacer 1,5 kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---|
| Physical state | : Solid |
| Colour | : Grey. |
| Appearance | : Paste. |
| Odour | : styrene. |
| Odour threshold | : (Styrene: 0,15 ppm) |
| Melting point | : Not available |
| Freezing point | : Styrene: -30°C |
| Boiling point | : Styrene: 145°C |
| Flammability | : Flammable, Use as a fuel |
| Explosive limits | : Not applicable |
| Lower explosion limit | : 0.9 – 1.1 (Styrene) |
| Upper explosion limit | : 6.1 – 6.8 (Styrene) |
| Flash point | : 38 °C (setflash-methode) |
| Auto-ignition temperature | : (Styrene: 490°C) |
| Decomposition temperature | : Not available |
| pH | : 7 |
| pH solution | : Not available |
| Viscosity, kinematic | : > 800 mm²/s |
| Viscosity, dynamic | : 75000 – 95000 mPa·s |
| Solubility | : Insoluble in water. Water: 0.29 g/100cm³ |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : 6 hPa (Styrene @ 6°C) |
| Vapour pressure at 50°C | : Not available |
| Density | : > 1 |
| Relative density | : 1.40566 |
| Relative vapour density at 20°C | : 3.6 (styrene) |
| Particle size | : Not available |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

| | |
|--|-----------|
| Relative evaporation rate (butylacetate=1) | : ≥ |
| VOC content | : 182 g/l |

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous reaction with Butyllithium (CAS:109-72-8).

10.2. Chemical stability

Stable under normal conditions. SECTION 7.

10.3. Possibility of hazardous reactions

carbon dioxide (CO2). fume. nitrogen dioxide.

10.4. Conditions to avoid

No flames, no sparks. Eliminate all sources of ignition. Avoid the build-up of electrostatic charge. Do not expose to heat.

Lead & tin replacer 1,5 kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.5. Incompatible materials

Strong oxidizing agents. Peroxides. Reducing agents.

10.6. Hazardous decomposition products

None under normal use.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|-----------------------------------|---|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |
| Skin corrosion/irritation | : Causes skin irritation. pH: 7 |
| Serious eye damage/irritation | : Causes serious eye irritation. pH: 7 |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Suspected of damaging the unborn child. |
| STOT-single exposure | : May cause respiratory irritation. |
| STOT-repeated exposure | : Causes damage to organs (hearing organs) through prolonged or repeated exposure (In case of repeated or prolonged exposure :). |

styrene (100-42-5)

| | |
|------------------------|--|
| STOT-repeated exposure | Causes damage to organs (hearing organs) through prolonged or repeated exposure. |
| Aspiration hazard | : Not classified |

Lead & tin replacer 1,5 kg

| | |
|----------------------|--------------------------|
| Viscosity, kinematic | > 800 mm ² /s |
|----------------------|--------------------------|

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|--|
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Harmful to aquatic life with long lasting effects. |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

Lead & tin replacer 1,5 kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment

Lead & tin replacer 1,5 kg

Mixture does not contain substance (s) classified as PBT or vPvB in concentrations above 0,1%.

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations. Do not discharge into drains. This material and its container must be disposed of as hazardous.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Avoid release to the environment.


SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN

Lead & tin replacer 1,5 kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR | IMDG | IATA | ADN |
|--|----------------|----------------|----------------|
| 14.1. UN number or ID number | | | |
| UN 1993 | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | |
| FLAMMABLE LIQUID, N.O.S. (FLAMMABLE LIQUID, N.O.S. (CONTAINS STYRENE)) | Not applicable | Not applicable | Not applicable |
| Transport document description | | | |
| UN 1993 FLAMMABLE LIQUID, N.O.S. (FLAMMABLE LIQUID, N.O.S. (CONTAINS STYRENE)), 3, III, (D/E) | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | | |
| 3 | Not applicable | Not applicable | Not applicable |
|  | Not applicable | Not applicable | Not applicable |
| 14.4. Packing group | | | |
| III | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | |
| Dangerous for the environment: No | Not applicable | Not applicable | Not applicable |
| No supplementary information available | | | |

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 274, 601
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P001, IBC03, LP01, R001
Transport category (ADR) : 3
Special provisions for carriage - Operation (ADR) : S2
Tunnel restriction code (ADR) : D/E
EAC code : •3YE

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Lead & tin replacer 1,5 kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content : 182 g/l

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

| Occupational diseases | |
|-----------------------|----------------------------------|
| Code | Description |
| RG 66 | Occupational rhinitis and asthma |

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).
Chemicals Prohibition Ordinance (ChemVerbotsV) : This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the shipping route (according to § 10).
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed
SZW-lijst van mutagene stoffen : None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling : styrene is listed

Denmark

Class for fire hazard : Class II-1
Store unit : 5 liter
Classification remarks : R10 <H226;H315;H319;H335;H361d;H372;H412>; Emergency management guidelines for the storage of flammable liquids must be followed

Lead & tin replacer 1,5 kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Danish National Regulations

: Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

A chemical safety assessment has been carried out
styrene

SECTION 16: Other information

Full text of H- and EUH-statements:

| | |
|---------------------------|---|
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| H226 | Flammable liquid and vapour. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H361d | Suspected of damaging the unborn child. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Repr. 2 | Reproductive toxicity, Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT RE 1 | Specific target organ toxicity – Repeated exposure, Category 1 |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.